

Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors	PO ID PO29524	All Receipt Dates	All Line Item Types
..			

Total Received Quantity:
Total Qty to Inspect (PO U/M):
Total Reject Quantity:
Total Receipt Value:
Total Balance Due Quantity:



O'Neal High-Performance Metals Group



**Packing
Slip**

ORDER NO.: 60583533 FROM: CRAN PAGE 1

CUST NUMBER: 1203820 NET WGT: 19.218 REQ.DATE: 08/27/15 CONFIRMED
SOLD TO: SHIP TO:
DART AEROSPACE LTD DART AEROSPACE LTD
1270 ABERDEEN ST 1270 ABERDEEN ST
HAWKESBURY ON HAWKESBURY ON
CANADA CN K6A 1K7 ONTARIO CANADA CN K6A 1K7

SALESPERSON: DONNA SMALLEY SHIP BY: 08/21/15
TERMS: NET 30 DAYS VIA: COMMON CARRIER
F.O.B.: SHIPPING POINT FREIGHT: PREPAID
CUST ORD NO.: PO29524 RELEASE NO.:
RECEIVING PHONE:

LINE	ITEM DESCRIPTION	WIDTH	LENGTH
0001	42588 D6061-T6 5/8 OD X .125 WA		12 FT ML
	ORD QTY INVOICE QTY SHIPPED QTY WT PCS		
	48.000 FT 48.000 FT 48.000 FT 11.082 4		

** 1 TEST REPORTS REQUIRED **

** 1 CERTS REQUIRED **

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00
PO:49330211 HT:F001858850001 PC: 4 CUSTOMER QTY: 48.000 UOM FT
MLT:UNITED STATES MFG:UNITED STATES SLB/CL:218040

0002	41952 D6061-T6 3/8 OD X .058 WA		12 FT ML
	ORD QTY INVOICE QTY SHIPPED QTY WT PCS		
	120.000 FT 120.000 FT 120.000 FT 8.136 10		

** 1 TEST REPORTS REQUIRED **

** 1 CERTS REQUIRED **

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00
PO:49328613 HT:33718928 PC: 10 CUSTOMER QTY: 120.000 UOM FT
MLT:UNITED STATES MFG:UNITED STATES SLB/CL:290075

BROKERS KUEHNE AND NAGEL LTD

AREA	TYPE OF PKG	PKGS	GRS WEIGHT	WIDTH	LENGTH	HGHT
B	CARTON	1.000	24.000		12.5000	

BY: TW
RT 000-

UNLOAD TYPE: NONE SPECIFIED

DATE SHIPPED _____

1

DATE FILLED _____

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE
PRODUCTS ARE SET FORTH ON OUR WEBSITE FOR YOUR CAREFUL
REVIEW.
<http://www.twmetals.com/invoice-terms.html>



O'Neal High-Performance Metals Group



**Packing
Slip**

ORDER NO.: 60583533 FROM: CRAN PAGE 1

CUST NUMBER: 1203820 NET WGT: 19.218 REQ.DATE: 08/27/15 CONFIRMED
SOLD TO: SHIP TO:
DART AEROSPACE LTD DART AEROSPACE LTD
1270 ABERDEEN ST 1270 ABERDEEN ST
HAWKESBURY ON HAWKESBURY ON
CANADA CN K6A 1K7 ONTARIO CANADA CN K6A 1K7

SALESPERSON: DONNA SMALLEY SHIP BY: 08/21/15
TERMS: NET 30 DAYS VIA: COMMON CARRIER
F.O.B.: SHIPPING POINT FREIGHT: PREPAID
CUST ORD NO.: PO29524 RELEASE NO.:
RECEIVING PHONE:

LINE	ITEM DESCRIPTION	WIDTH	LENGTH
0001	42588 D6061-T6 5/8 OD X .125 WA		12 FT ML

ORD QTY	INVOICE QTY	SHIPPED QTY	WT	PCS
48.000 FT	48.000 FT	48.000 FT	11.082	4

** 1 TEST REPORTS REQUIRED **
** 1 CERTS REQUIRED **

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00
PO:49330211 HT:F001858850001 PC: 4 CUSTOMER QTY: 48.000 UOM FT
MLT:UNITED STATES MFG:UNITED STATES SLB/CL:218040

LINE	ITEM DESCRIPTION	WIDTH	LENGTH
0002	41952 D6061-T6 3/8 OD X .058 WA		12 FT ML

ORD QTY	INVOICE QTY	SHIPPED QTY	WT	PCS
120.000 FT	120.000 FT	120.000 FT	8.136	10

** 1 TEST REPORTS REQUIRED **
** 1 CERTS REQUIRED **

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00
PO:49328613 HT:33718928 PC: 10 CUSTOMER QTY: 120.000 UOM FT
MLT:UNITED STATES MFG:UNITED STATES SLB/CL:290075

BROKERS KUEHNE AND NAGEL LTD

AREA		TYPE OF PKG	PKGS	GRS	WEIGHT	WIDTH	LENGTH	HGHT
B		CARTON	1.000		24.000		12.5000	

1.000 24.000

BY: TW
RT 000-

UNLOAD TYPE: NONE SPECIFIED

DATE SHIPPED _____

DATE FILLED _____

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE
PRODUCTS ARE SET FORTH ON OUR WEBSITE FOR YOUR CAREFUL
REVIEW.
<http://www.twmetals.com/invoice-terms.html>



O'Neal High-Performance Metals Group



**Packing
Slip**

ORDER NO.: 60583533 FROM: CRAN PAGE 2

CUST NUMBER: 1203820	NET WGT: 19.218	REQ.DATE: 08/27/15	CONFIRMED
SOLD TO:	SHIP TO:		
DART AEROSPACE LTD	DART AEROSPACE LTD		
1270 ABERDEEN ST	1270 ABERDEEN ST		
HAWKESBURY ON	HAWKESBURY ON		
CANADA	CN K6A 1K7	ONTARIO CANADA	CN K6A 1K7
SALESPERSON:	DONNA SMALLEY	SHIP BY:	08/21/15
TERMS:	NET 30 DAYS	27 ENGLEHARD DRIVE	
F.O.B.:	SHIPPING POINT	MONROE TWP	NJ 08831
CUST ORD NO.:	PO29524		
VIA:	COMMON CARRIER		
FREIGHT:	PREPAID		
RELEASE NO.:			
RECEIVING PHONE:			

"TW Metals MSDS data is available on our web site at www.twmetals.com. MSDS data can be found under the Technical Resources Tab, Product Statistics & Data and the TW Metals MSDS's heading. If you do not have web site access you may telephone 610-458-1300 and we will mail or fax a copy of our current MSDS data to your location."

"CERTIFICATE OF CONFORMANCE"

"TW Metals certifies that the material supplied on this purchase order and contained in the heat/lot number referenced above has been manufactured, inspected, and tested in accordance with the material specification. These records are on file at TW Metals. Packaging material for shipments to Europe and China consists of manufactured wood products and complies with the European emergency measures for coniferous non-manufactured wood packing material"

Authorized Test Report Clerk Jessica Mannheim Date: 8/21/15

These commodities have been exported from the United States in accordance with the U.S. export control laws, export administrations regulations. Diversion contrary to U.S. law prohibited.

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE PRODUCTS ARE SET FORTH ON OUR WEBSITE FOR YOUR CAREFUL REVIEW.
<http://www.twmetals.com/invoice-terms.html>

KAISER ALUMINUM FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: M49330211-1		CUSTOMER PART NUMBER: 42588		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 218040	LINE ITEM: 001	SHIP DATE: 04/13/2015	KAISER LOT NUMBER: F00185885	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 366.000 LB	QUANTITY: 132.000 PCS	B/L NUMBER: 218440	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO: TW METALS INC 27 ENGLEHARD DRIVE EXIT 8A OFF NJ TPK MONROE TWP, NJ 08831 USA			SOLD TO: TW METALS INC 760 CONSTITUTION DRIVE SUITE 204 EXTON, PA 19341 USA		

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%IACS	BEND
F00185885	0001	1	45.9	44.0	16 DAS	N/A	N/A	N/A

14
9-89 15/08/27

Chemical Composition (wt%), Aluminum Remainder


LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D39623	.57	.26	.22	.04	1.01	.06	.01	.02	.00	.00	.00	.01	.02

Applicable Requirements:

Description: OD: 0.6250"; Wall: 0.1250"; Round @
AMS-4082P AMS-WW-T-700/6F ASTM B210-12 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.
This Product Complies to FAR BAA, DFARS BAA, FAR TAA
COMPLIES TO DIN EN 10204 JAN 2005
No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA
MATERIAL COMPLIES WITH FAR BAA (FAR 52.225-1, BUY AMERICAN ACT- SUPPLIES), DFARS BAA
(DFARS 252.225-7001 BUY AMERICAN ACT & BAL OF PAYMENTS PROG), AND FAR TAA (FAR 52.225-5
TRADE AGREEMENTS).



KAISER
ALUMINUM
FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Linda Adkins, Quality Manager

Linda Adkins



PRECISION TUBE CO.
287 WISSAHICKON AVE.
NORTH WALES PA 19454

Control No: 169157

CERTIFIED TEST REPORT

CUSTOMER PURCHASE ORDER NO.	CUST. ORD. NO.	PRECISION TUBE P/N
49328613 LINE 001	290075	24A037500580006

SOLD: TW METALS
TO 235 TUBEWAY
CAROL STREAM, IL 60188
UNITED STATES

SHIP: TW METALS
TO 235 TUBEWAY
CAROL STREAM, IL 60188
UNITED STATES

QUANTITY ORD.	DESCRIPTION	QTY. SHIPPED	DATE SHIPPED
5004 FT	METAL - 6061 ALUM TEMPER - T6 SPEC - AMS 4082P AMS-WW-T-700/6B ASTM-B-210-12 LENGTH - 12 FT LGTH TOL +.1250 IN -.0000 IN SHAPE - ROUND FINISH - STRAIGHT EXACT LENGTHS OD .3750 +.0030 -.0030 ID WALL .0580 +.0040 -.0040	5040 FT	04/24/15



MECHANICAL PROPERTIES

SAMPLE #	TENSILE STRENGTH (P.S.I.)	YIELD STRENGTH (P.S.I.)	ELONGATION IN 2 INCHES (%)	ROCKWELL HARDNESS	AVERAGE GRAIN SIZE (MM.)
1	45,281	40,465	15		

DAS DESTRUCTIVE TESTS

14 15/08/27
9-89

Comments: FAR BAA COMPLIES, DFARS BAA COMPLIES, FAR TAA COMPLIES

NON-DESTRUCTIVE TESTS

EDDY CURRENT: PASS

CHEMICAL COMPOSITION

ALLOY:	6061	HEAT:	TRACEABILITY #:						33718928
			RAW MATL VENDOR:						PT48124 Kaiser Aluminum
	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Al
Min	0.40		0.15		0.80	0.04			Rem.

Max 0.80 0.70 0.40 0.15 1.20 0.35 0.25 0.15
OTHER ELEMENTS: 0.05 MAX EACH / 0.15 MAX TOTAL The following additional impurity maximum limits shall apply: Bi, 1ppm(0.0001%); Cd, 1ppm(0.0001%); Fe, 10 Mn, 0.5ppm(0.0005%); Ni, 10ppm(0.0010%); Se, 3ppm (0.0003%); Ag, 25 ppm(0.0025%); S, 15ppm(.0015%); Sn, 2ppm(.0002%); Zn, 1ppm(.0001%).

We hereby certify that the material has been manufactured and tested in accordance with the requirements of the applicable specifications and descriptions set forth on Precision Tube's sales acknowledgement. During the manufacturing, testing and inspection, the product did not come into direct contact with mercury or any of its compounds, nor with any mercury containing device employing a single boundary containment. Test results indicate that the material is compliant with the current revision of the RoHS Directive (2011/65/EU).

Manufactured in the USA
QMS Registered to ISO 9001: 2008

By: Art Onalitis
Art Onalitis
QA Manager

04/24/15
Page: 1 of 1

KAISER ALUMINUM FABRICATED PRODUCTS


Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
2425 STEVENS DRIVE
RICHLAND, WA 99352

CUSTOMER PO NUMBER: PT48124		CUSTOMER PART NUMBER: SPIRIT-371850		PRODUCT DESCRIPTION: 5.400 LB/PC .500 LB/-0 LB 1.312 OD X .085 WALL ESRT	
KAISER ORDER NUMBER: 318360	LINE ITEM: 001	SHIP DATE: 03/06/2015	KAISER LOT NUMBER: 50751-288	ALLOY: 6061	TEMPER: O
WEIGHT SHIPPED: 10601.000 LB	QUANTITY: 1925.000 PCS	B/L NUMBER: 004678	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH:
SHIP TO: PRECISION TUBE CO 287 WISSAHICKON AVENUE N. WALES, PA 19454 USA			SOLD TO: MUELLER INDUSTRIES, INC PRECISION TUBE 8285 TOURNAMENT DRIVE STE. 150 MEMPHIS, TN 38125 USA		



Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	%Elong in 2	HARDNESS	CONDUCT.	BEND
50751-288	0001	0002	19.2	8.6	22.0	NA N/A	N/A	N/A
50751-288	0001	0003	19.9	9.1	23.0	NA N/A	N/A	N/A
50751-288	0001	0004	19.9	8.9	22.1	NA N/A	N/A	N/A
50751-288	0001	0005	19.8	8.7	22.2	NA N/A	N/A	N/A
50751-288	0001	0006	19.2	8.3	22.4	NA N/A	N/A	N/A
50751-288	0001	0007	19.4	8.1	22.5	NA N/A	N/A	N/A
50751-288	0001	0008	19.3	7.5	21.7	NA N/A	N/A	N/A
50751-288	0001	0009	19.3	7.9	22.8	NA N/A	N/A	N/A
50751-288	0001	0010	19.0	7.5	21.5	NA N/A	N/A	N/A
50751-288	0001	0011	19.7	8.7	20.9	NA N/A	N/A	N/A
50751-288	0001	0001	18.6	7.6	22.2	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder


LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ba	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	.0
F74222	.58	.30	.25	.04	.98	.07	.04	.02	.00	.00	.00	.01	.02

Applicable Requirements:

ASTM-B241-12 NON-STENCILED ASTM-B221-13 ASTM-B345-11 AMS-QQ-A-200/8 97(R07) TYPE I
UNS#A96061 Also conforms to EN 10204 3.1

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA
MERCURY IS NOT A NORMAL BACKGROUND ELEMENT IN ALUMINUM ALLOYS. NEITHER MERCURY NOR ANY
OF ITS COMPOUNDS ARE UTILITZED BY KAISER ALUMINUM IN THE MANUFACTURE OF THIS MATERIAL.



KAISER
ALUMINUM
FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>


KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
2425 STEVENS DRIVE
RICHLAND, WA 99352

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

JOSEPH AMES, QUALITY MANAGER

Jph



MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6
 DATE: 15/08/27

PO / BATCH NO.: 29524/M133035

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 48'
 QUANTITY INSPECTED: 48'
 QUANTITY REJECTED: _____

THICKNESS ORDERED: RD.625X.125W
 THICKNESS RECEIVED: RD.625X.125W
 SHEET SIZE ORDERED: _____
 SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y	N	
CORROSION	Y	<input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT THICKNESS	<input checked="" type="radio"/> Y	N	
PHOTO REQUIRED	Y	<input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 14</u> DATE: <u>15/08/27</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6
 DATE: 15/08/27

PO / BATCH NO.: 29524/M133035

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 120'
 QUANTITY INSPECTED: 120'
 QUANTITY REJECTED: _____

THICKNESS ORDERED: RD .375X.058W
 THICKNESS RECEIVED: RD .375X.058W
 SHEET SIZE ORDERED: _____
 SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y	N	
CORROSION	Y	<input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT THICKNESS	<input checked="" type="radio"/> Y	N	
PHOTO REQUIRED	Y	<input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS</u> <u>14</u> <u>9-88</u> DATE: <u>15/08/27</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO29524**

Purchase Order Date 8/19/2015

PO Print Date 8/19/2015

Page Number 1 of 2

Order From :

VU-TWM001

TW METALS
PO BOX 933014
ALTANTA, GA 31193-3014
US

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAXED

Contact Name

Vendor Phone 585 768 5600

Ship To Contact

Ship To Phone

Ship Via: YRC COLLECT

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency USD

FOB FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M6061T6T0.375W.058	6061-T6 RD Tube .375 x.058W	8/27/2015 Yes 8/27/2015		120.00 / f	\$2.15	\$258.00
MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR ASTM B241							Line Total: \$258.00
2	M6061T6T0.625W.125	6061-T6 RD Tube 0.625 X.125W	8/27/2015 Yes 8/27/2015		48.00 / f 15/08/26	\$5.15	\$247.20
MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR ASTM B241							Line Total: \$247.20

Note:

8/19/2015



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO29524**

Purchase Order Date 8/19/2015

PO Print Date 8/19/2015

Page Number 2 of 2

Order From :

VU-TWM001

TW METALS
PO BOX 933014
ALTANTA, GA 31193-3014
US

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 585 768 5600

Ship To Contact

Ship To Phone

Ship Via: YRC COLLECT

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms

Net 30

Currency

USD

FOB

FCA - (Free Carrier)

3	M6061T6T0.750W.125	6061-T6 RD Tube .750/x .125W	8/27/2015	24.00	\$9.20	\$220.80
			Yes	f		
			8/27/2015			

MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING
AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR
AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR
ASTM B241

Line Total: \$220.80

4	71401-45	PROCUREMENT QUALITY CLAUSES	8/27/2015	1.00	\$0.00	\$0.00
			No			
			8/27/2015			

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

Line Total: \$0.00

PO Total: \$726.00

CL u

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 8/19/2015